



INDEX

Description	Page No
Introduction	1
Features	3
Wall to wall Partitions with normal or swing door	4-5
Corner partitions with normal or swing door	6-7
C shape partitions with normal or swing door	8
T shape partitions with normal doors only	9
Walk-in shower partitions	10
Ready to fit shower partitions	11
Hardwares, hinges, brackets, stabilizer rod & connectors, handles, PVC / Rubber strips	12-13



## PRESENTING CUSTOMISED SHOWER PARTITIONS

Shower partitions are now essential in any modern bathroom, where convenience is just as crucial as aesthetics. Customisable to suit the dimensions of different bathrooms, CERA customised shower partitions segregate the wet areas from the dry, optimising space. This ensures that only the showering area is wet while the rest of the bathroom floor stays dry. These partitions can be made out of toughened glass, 8 mm or 10 mm thick.

Further, CERA also offers walk-in shower partitions. A walk-in shower door or a glass screen ensures that you freely move in and out of your shower space without any restrictions. Besides ensuring clearly demarcated wet and dry areas, these partitions are designed to make bathrooms look more spacious.



2 fixed glasses + 1 door in middle- 135° corner shower partition



## FEATURES

### GLASS

#### Features

#### Benefits



#### SAFETY-TEMPERED GLASS

- 5 times stronger than normal/annealed glass
- Resistant to heat and shocks due to impact
- Available in 8 mm & 10 mm thicknesses
- Available in clear & frosted glass for transparent or translucent looks



#### LIMESCALE PROTECTION



Normal Glass

Nano Coated Glass

- Nano coating gives an invisible yet long-lasting protection
- Resistant to scaling, stains, corrosion, scratches, and bacterial growth, thus making bathroom more hygienic
- Reduces the impact of exposure to environmental pollutants; reduces repairs, replacements, and the cost of maintenance
- Reduces cleaning time by 90%
- Optically clear



#### CUSTOMISED

- Stylish frameless doors and glass panels customised to suit any shape and size

#### UNMATCHED QUALITY & SAFETY

Fragmentation test

- To check breakage pattern of glass

Impact/shock resistance test

- To check impact at a point by dropping a steel ball

Visual defects

- For visual defect-free glass

Waviness check

- For no visible waviness on tempered glass surface

Bow/bending test

- To check straightness of glass

#### STANDARDS

- Critical Product Parameters to ensure quality and hence ensuring safety for customers
- Reference: India
- IS 2553 ( Part 1: 1990 )
- IS 14900: 2000
- IS 2835: 1987
- Reference: Europe
- EN 14450: 2000
- Adheres to European toughening norms
- Conforms to the mix of both IS and European Standards

### HARDWARE

#### Features

#### Benefits

Best quality available in satin & gloss finishes

- SS 304 for enhanced safety and looks

Max. 40 kg load for 2 hinges and 55 kg load for 3 hinges

- Combining aesthetics with strength and durability

Self-closing mechanism closes door at 30° angle

- Protects the glass from impact

Door swings 90° in & 90° out

- Ease of use

Swing door and sliding door options

- Ease of servicing

5-year warranty and service backup


- Customer satisfaction through peace of mind



### QUALITY WORK

Site inspection, measurement, and installation by CERA-trained technicians

WALL-TO-WALL SHOWER PARTITIONS




**Only door without fixed glass**

**Size**  
 • W – 600 to 800 mm  
 H – 1950 mm

**Glass**  
 • 1 no. swing glass

**Hardware**  
 • 2 nos. wall-to-glass hinges-90°  
 • 1 no. handle  
 • 3 nos. profile strips




**2 swing glass doors (door hinges on wall)**

**Size**  
 • W – 1000 to 1600 mm  
 H – 1950 mm

**Glass**  
 • 2 nos. swing glass

**Hardware**  
 • 4 nos. wall-to-glass hinges-90°  
 • 2 nos. handles  
 • 3 nos. profile strips  
 • 1 no. magnetic strip-180°




**1 fixed glass & 1 door (hinges on wall)**

**Size**  
 • W – 1100 to 1900 mm  
 H – 1950 mm

**Glass**  
 • 1 no. fixed glass & 1 no. swing glass

**Hardware**  
 • 2 nos. wall-to-glass hinges-90°  
 • 1 no. handle  
 • 2 nos. wall brackets  
 • 1 no. floor bracket  
 • 1 no. stabilizer rod with 2 nos. wall-end & 1 no. open-end connectors  
 • 2 nos. profile strips  
 • 1 no. magnetic strip-180°




**1 fixed glass & 1 door (hinges on glass)**

**Size**  
 • W – 1100 to 1900 mm  
 H – 1950 mm

**Glass**  
 • 1 no. fixed glass & 1 no. swing glass

**Hardware**  
 • 2 nos. glass-to-glass hinges-180°  
 • 1 no. handle  
 • 2 nos. wall brackets  
 • 1 no. floor bracket  
 • 1 no. stabilizer rod with 2 nos. wall-end & 1 no. open-end connectors  
 • 3 nos. profile strips




**2 fixed glasses & 1 door in the middle**

**Size**  
 • W – 1400 to 2400 mm  
 H – 1950 mm

**Glass**  
 • 2 nos. fixed glasses & 1 no. swing glass

**Hardware**  
 • 2 nos. glass-to-glass hinges-180°  
 • 1 no. handle  
 • 4 nos. wall brackets  
 • 2 nos. floor brackets  
 • 1 no. stabilizer rod with 2 nos. wall-end & 2 nos. open-end connectors  
 • 3 nos. profile strips  
 • 1 no. magnetic strip-180°




**1 fixed glass & 1 sliding door**

**Size**  
 • W – 1100 to 1800 mm  
 H – 1950 mm

**Glass**  
 • 1 no. fixed glass & 1 no. sliding glass

**Hardware**  
 • 1 no. sliding roller set with door stoppers & floor guide  
 • 1 no. handle  
 • 2 nos. wall brackets  
 • 1 no. floor bracket  
 • 1 no. top sliding track with 2 nos. L-clamps  
 • 5 nos. profile strips




**2 fixed glasses & 1 door in middle**

**Size**  
 • W – 1500 to 2400 mm  
 H – 1950 mm

**Glass**  
 • 2 nos. fixed glasses & 1 no. sliding glass

**Hardware**  
 • 1 no. sliding roller set with door stoppers & floor guide  
 • 1 no. handle  
 • 4 nos. wall brackets  
 • 2 nos. floor brackets  
 • 1 no. top sliding track with 2 nos. L-clamps  
 • 6 nos. profile strips

| CORNER SHOWER PARTITIONS




**1 fixed glass & 1 door**  
(hinges on wall)

Size  
• W – 1500 to 2000 mm  
H – 1950 mm

Glass  
• 1 no. fixed glass &  
1 no. swing glass

Hardware  
• 2 nos. wall-to-glass  
hinges-90°  
• 1 no. handle  
• 2 nos. wall brackets  
• 2 nos. floor brackets  
• 1 no. stabilizer rod with  
2 nos. wall-end, 2 nos.  
open-end & 1 no. angle  
connectors  
• 4 nos. profile strips  
• 1 no. magnetic strip-90°




**1 fixed glass & 1 door**  
(hinges on glass corner)

Size  
• W – 1500 to 2000 mm  
H – 1950 mm

Glass  
• 1 no. fixed glass &  
1 no. swing glass

Hardware  
• 2 nos. glass-to-glass  
hinges-90°  
• 1 no. handle  
• 2 nos. wall brackets  
• 2 nos. floor brackets  
• 1 no. stabilizer rod with  
2 nos. wall-end, 2 nos.  
open-end & 1 no. angle  
connectors  
• 5 nos. profile strips




**2 fixed glasses & 1 door**  
(hinges on glass corner)

Size  
• W – 1800 to 3000 mm  
H – 1950 mm

Glass  
• 2 nos. fixed glasses &  
1 no. swing glass

Hardware:  
• 2 nos. glass-to-glass  
hinges-90°  
• 1 no. handle  
• 4 nos. wall brackets  
• 3 nos. floor brackets  
• 2 nos. stabilizer rods with  
2 nos. wall-end, 3 nos.  
open-end & 1 no. angle  
connectors  
• 5 nos. profile strips  
• 1 no. magnetic strip-180°




**2 fixed glasses & 1 door**  
(hinges on fix glass)

Size  
• W – 1800 to 3000 mm  
H – 1950 mm

Glass  
• 2 nos. fixed glasses &  
1 no. swing glass

Hardware  
• 2 nos. glass-to-glass  
hinges-180°  
• 1 no. handle  
• 4 nos. wall brackets  
• 3 nos. floor bracket  
• 2 nos. stabilizer rods with  
2 nos. wall-end, 3 nos.  
open-end & 1 no. angle  
connectors  
• 5 nos. profile strips  
• 1 no. magnetic strip-90°




**2 fixed glasses & 1 door**  
(hinges on wall)

Size  
• W – 1800 to 3000 mm  
H – 1950 mm

Glass  
• 2 nos. fixed glasses &  
1 no. swing glass

Hardware  
• 2 nos. wall-to-glass  
hinges-90°  
• 1 no. handle  
• 2 nos. wall brackets & 2 nos.  
glass-to-glass brackets  
• 3 nos. floor brackets  
• 2 nos. stabilizer rods with  
2 nos. wall-end, 3 nos.  
open-end & 1 no. angle  
connectors  
• 5 nos. profile strips  
• 1 no. magnetic strip-180°




**2 fixed glasses + 1 door**  
in middle- 135° corner  
shower partition

Size  
• W – 1800 to 3000 mm  
H – 1950 mm

Glass  
• 2 nos. fixed glasses &  
1 no. swing glass

Hardware  
• 2 nos. glass-to-glass  
hinges-135°  
• 1 no. handle  
• 4 nos. wall brackets  
• 3 nos. floor brackets  
• 2 nos. stabilizer rods with  
2 nos. wall-end, 3 nos.  
open-end & 2 nos. angle  
connectors  
• 5 nos. profile strips  
• 1 no. magnetic strip-135°




**2 fixed glass &  
2 sliding door**

Size  
• W – 1800 to 3000 mm  
H – 1950 mm

Glass  
• 2 nos fixed glass & 2 nos sliding glass

Hardware  
• 2 nos sliding roller sets with door stoppers &  
floor guides  
• 2 nos handles  
• 4 nos wall brackets  
• 2 nos floor brackets  
• 2 nos top sliding track with 2 nos L-clamps &  
corner joints  
• 6 nos profile strips  
• 1 nos magnetic strip-90°



**2 fixed glass &  
1 sliding door**


Size  
• W – 1800 to 3000 mm  
H – 1950 mm

Glass  
• 2 nos Fixed glass & 1 nos sliding glass

Hardware  
• 1 nos sliding roller set with door stoppers &  
floor guide  
• 1 nos handle  
• 4 nos wall brackets  
• 2 nos floor brackets  
• 2 nos Top sliding track with 2 nos L-clamps &  
corner joints  
• 6 nos profile strips  
• 1 nos magnetic strip-90°



| C-SHAPED SHOWER PARTITION




**3 fixed glasses & 1 door – shower partition**

Size  
 • W – 2600 to 4000 mm  
 H – 1950 mm

Glass  
 • 3 nos. fixed glasses & 1 no. swing glass

Hardware  
 • 2 nos. glass to glass hinges-90°  
 • 1 no. handle  
 • 4 nos. wall brackets & 2 nos. glass-to-glass brackets  
 • 5 nos. floor brackets  
 • 2 nos. stabilizer rod with 2 nos. wall-end, 5 nos. open-end & 2 nos. angel connectors  
 • 5 nos. profile strips  
 • 1 no. magnetic strip-180°




**4 fixed glasses & 1 door – shower partition**

Size  
 • W – 2600 to 4000 mm  
 H – 1950 mm

Glass  
 • 4 nos. fixed glasses & 1 no. swing glass

Hardware  
 • 2 nos. glass to glass hinges-180°  
 • 1 no. handle  
 • 4 nos. wall brackets & 4 nos. glass-to-glass brackets  
 • 6 nos. floor brackets  
 • 3 nos. stabilizer rod with 2 nos. wall-end, 6 nos. open-end & 2 nos. angel connectors  
 • 6 nos. profile strips  
 • 1 no. magnetic strip-180°

| T-SHAPED SHOWER PARTITIONS




**3 fixed glasses & 2 doors – shower partition (T-hinges)**

Size  
 • W – 2700 to 4500 mm  
 H – 1950 mm

Glass  
 • 3 nos. fixed glasses & 2 nos. swing glasses

Hardware  
 • 2 nos. glass to glasses t-hinges-90°  
 • 2 nos. handles  
 • 6 nos. wall brackets  
 • 4 nos. floor brackets  
 • 3 nos. stabilizer rods with 3 nos. wall-end, 4 nos. open-end & 1 no. t-end connectors  
 • 8 nos. profile strips  
 • 2 nos. magnetic strip-180°




**3 fixed glasses & 2 doors – shower partition (T-brackets)**

Size  
 • W – 2700 to 4500 mm  
 H – 1950 mm

Glass  
 • 3 nos. fixed glasses & 2 nos. swing glasses

Hardware  
 • 4 nos. wall-to-glass hinges-90°  
 • 2 nos. handles  
 • 2 nos. t-brackets & 2 nos. wall brackets  
 • 4 nos. floor brackets  
 • 3 nos. stabilizer rods with 3 nos. wall-end, 4 nos. open-end & 1 no. t-end connectors  
 • 8 nos. profile strips  
 • 2 nos. magnetic strip-180°

WALK-IN SHOWER PARTITIONS



Only 1 fixed glass partition without door

Size  
 • W – 600 to 1200 mm  
 H – 1950 mm

Glass  
 • 1 no. fixed glass

Hardware  
 • 2 nos. wall brackets  
 • 1 no. floor bracket  
 • 1 no. stabilizer rod with 2 nos. wall-end & 1 no. open-end connectors  
 • 2 nos. profile strips

READY TO FIT SHOWER PARTITIONS



Features

- Single door – easy installation
- 6 mm printed toughened glass
- Chrome profiles and handle Ideal for bathroom conditions
- 180° swinging glass allows door to open from both inside and outside
- 1.5 cm tolerance allows installation in unideal walls
- Magnetic and profile strip for water sealing

CADMEGA  
 Cat. No. B2510117  
 1000 x 1800 mm

CADMAX  
 Cat. No. B2510112  
 900 x 1800 mm

CADMID  
 Cat. No. B2510113  
 600 x 1800 mm

CADMIN  
 Cat. No. B2510114  
 300 x 1800 mm

Features

- 2 foldable glass panels
- 6 mm toughened glass
- Chrome handle Ideal for bathroom conditions
- Profile strip for water sealing

CARMAX  
 Cat. No. B2510115  
 900 x 1950 mm

CARMID  
 Cat. No. B2510116  
 600 x 1950 mm

| HARDWARE

HARDWARE FOR SWING DOOR CONCEPTS

HINGES\*



HINGE - W-SG (90° 2-WAY)



HINGE - W-SG (90° 1-WAY)




HINGE - FG-SG (180° 2-WAY)



HINGE - FG-SG (90° 2-WAY)



HINGE - FG-SG (135° 2-WAY)



HINGE - FG-SG (T-SHAPE)

BRACKETS\*



FLOOR BRACKET/CLIP - F-FG



WALL BRACKET- W-FG (90°)



GLASS BRACKET- FG-FG (90°)



GLASS BRACKET-FG-FG (180°)



WALL BRACKET-W-FG (180°)



GLASS BRACKET-FG-FG (135°)



T-BRACKET -FG-FG-FG (T-SHAPE)

STABILIZER ROD\*



STABILIZER ROD TUBE SS

STABILIZER CONNECTORS\*



WALL END CONNECTOR



OPEN END CONNECTOR



GLASS END CONNECTOR



ANGLE ADJUSTABLE CONNECTOR



T-CONNECTOR



45° WALL END CONNECTOR

HANDLES\*



DOOR KNOB



HANDLE- ROUND



HANDLE- SQUARE




DOOR TOWEL ROD


PVC/RUBBER STRIPS



PROFILE STRIP 8/10 MM VINYL W/FG-SG (1-TIP)




PROFILE STRIP 8/10 MM VINYL W-FG (ROUND)



PROFILE STRIP 8/10 MM VINYL F-SG (1-TIP)




MAGNETIC STRIP 8/10 MM VINYL FG-SG 90°/180°



MAGNETIC STRIP 8/10 MM VINYL FG-SG 135°

| HARDWARE

HARDWARE FOR SLIDING DOOR CONCEPTS



SLIDING TRACK



SLIDING GLASS HANDLE



L-CLAMP FOR FIXING TOP TRACK



GLASS DOOR STOPPER



FLOOR GUIDE



SLIDING ROLLER SET

Note:

• Due to continuous upgradations, product specifications may change from time to time. Please verify the actual product for correct specifications, before purchase • Please see physical product before final selection. • Warranty of the product will become null and void if the installation is not done by Cera technicians. • The colours of glass, SS products and those of printing inks do not match exactly. • Whilst every precaution is taken in the compilation of our catalogue, we do not accept responsibility for any error or omission. • All dimensions are in millimetre (nominal) • Quantity of hardware/fittings can vary as per actual site condition & dimensions of Glass as recommended.

\*Hinges, Brackets, Stabilizer rod, Stabilizer connectors and Handles are available in matt and gloss finish.

\*Hinges, Brackets, Stabilizer rod, Stabilizer connectors and Handles are available in matt and gloss finish.